

# Index

- $\pi$ 
  - continued fraction expansion, 214
- $e$ , 85
- $\circ$ , 69
- $\times$ , 112
- 1-1 correspondence, 196
- 1-1 function, 70
- absolute value
  - of complex numbers, 89
- abundant numbers, 258
- algorithms, 87
- amplitude, 13
- Angle Bisector Theorem, 30
- Appel and Haken, 283
- approximation, 191
- Arithmetic Mean-Geometric Mean, 160
- asymptote, 81
  - of a hyperbola, 45
  - slant, 82
- axis of symmetry, 39
- Bach, J. S., 9
- beat frequency, 9
- Bernoulli, Daniel, 23
- Bernoulli, James, 195
- Binomial Theorem, 175–178, 188, 201, 202
  - and approximation, 191
- bipartite graph, 280
- block walking, 173–175
- Brahmagupta’s formula, 37
- Cantor set, 210
- Cantor, Georg, 206, 210
- cardioid, 48
- Cauchy’s Inequality, 162
- center
  - of a hyperbola, 45
  - center of homothety, 245
  - center of projection, 243
  - central projection, 243
  - centroid
    - of a tetrahedron, 141
    - vector representation, 138
- Ceva’s Theorem, 237
- cevian, 29–31, 237
- chain rule
  - for logarithms, 6
- $\chi$ , 280
- chromatic number, 280
- clique, 275
- closed form, 181, 183, 185
- coefficients, 52
- collinearity, 233–236
- colorings, 280
- combinatorics, 170–178
- committee selection, 171, 175
- complete graph, 275
- complex numbers, 88–95
  - absolute value, 89
  - exponential form, 94
  - multiplication of, 91
  - polar representation, 89
  - powers of, 91
  - trigonometric representation, 89
- complex plane, 88
- compound interest, 84
- concurrency, 236
- conyclic points, 34
- conditional probability, 219
- congruences, 252
  - division and, 253
  - linear, 254
  - simultaneous, 255
- quadratic, 256

- conics
  - oblique, 49
- construction
  - geometric, 227
- continued fractions, 211–215
  - convergents, 214
  - proper, 212
  - uniqueness, 213
- continued roots, 211
- continuity, 80
  - geometric, 246
- contradiction, 1
- convergence, 190
- convergents, 214
- cosh, 95
- cosine
  - graph of, 12
- countability, 207
- counting, 196–207
  - and correspondences, 196
  - infinite sets, 205
  - with generating functions, 200
  - with PIE, 198
- cross product, 112
  - commutativity of, 113
- cryptology, 265
- cycle, 278
  - Hamiltonian, 280
- cyclic function, 72
- cylindrical coordinates, 134
  
- $d(n)$ , 257
- De Morgan, Augustus, 283
- deficient numbers, 258
- degenerate
  - ellipse, 43
  - hyperbola, 46
- degree
  - of a polynomial, 52
  - of a vertex, 279
- DeMoivre's Theorem, 92, 96
- Descartes' Rule of Signs, 59
- determinants, 113
  - by minors, 116
  - of a product, 115
  - shorthand for  $3 \times 3$ , 115
  - using row operations, 118
- diagonal matrix, 118
- diagonal proof, 206
- Diophantine equations, 266–273
- directrix of a parabola, 38
- discontinuity, 80
  - essential, 81
  - removable, 80
- discriminant
  - of a conic, 50
- distance
  - from a point to a line, 127
  - three dimensions, 130
- distribution problems, 201
- distributivity, 201
- divergent limit, 78
- divisibility, 252
- division in congruences, 253
- divisors
  - number of, 257
  - sum of, 257
- dot product, 101
  - in coordinates, 102
- doubling the cube, 232
  
- $\epsilon$ , 191
- $e$ , 84
- eccentricity
  - of an ellipse, 42
- edge
  - of a graph, 275
- ellipse, 40
  - area of, 242
  - degenerate, 43
  - eccentricity, 42
  - foci, 41
  - latus rectum, 43
  - major axis, 41
  - minor axis, 41
  - parameterization, 126
- entry, 103
- equations
  - linear, 143
- essential discontinuity, 81
- Euclid's postulates, 251
- Euler line, 240

- Euler trail, 279
- Euler's formula, 276, 277
- Euler's generalization, 261
- Euler, Leonhard, 23, 195
- even tempering, 9
- exponential form, 94
- extraneous roots, 212
- face
  - of a graph, 276
  - unbounded, 276
- Fermat's Theorem, 258, 259, 265
- Fibonacci numbers, 2, 182–186
  - identities involving, 183, 184
- first order, 191
- foci
  - of a hyperbola, 45
  - of an ellipse, 41
- focus
  - of a parabola, 38
- four-color problem, 283
- Fourier series, 23
- frequency, 13
- functional identities, 70
- functions, 69–74
  - and identities, 70
  - composition of, 69
  - continuity of, 80
  - discontinuous, 80
  - inverse of, 69
  - limit of, 77
  - one to one, 70
  - rational, 77
- Fundamental Theorem of Algebra, 57
- Gauss, Carl Friedrich, 99
- Gaussian elimination, 145
- generating functions, 200
- girth, 281
- golden ratio, 183, 215
- graph, 275
  - bipartite, 280
  - coloring, 280
  - complete, 275
  - connected, 276
  - null, 275
  - planar, 276
  - walk on, 278
- graph theory, 281
- greatest common divisor, 252
- Hamiltonian cycles and paths, 280
- harmonic mean, 166
- harmonic sequence, 191
- head, 100
- Heron's formula, 28
- Hertz, 9
- homothecy, 245
- horizontal asymptote, 81
- hyperbola, 44
  - asymptotes, 45
  - center, 45
  - degenerate, 46
  - foci, 45
  - latus rectum, 46
  - parameterization, 126
  - transverse axis, 45
  - vertices, 45
- hyperbolic cosine, 95
- hyperbolic sine, 95
- identity matrix, 104, 107
- image, 243
- independent set, 275
- inductive hypothesis, 1
- inequalities, 159
  - AM-GM, 160
  - Cauchy's, 162
  - geometric, 165
  - Power Mean Inequality, 166
  - Triangle Inequality, 90, 165
- infinite descent, 270
- infinity, 205
- interest, 84
- inverse matrix, 120
- inversion, geometric, 243
- $K_n$ , 275
- $K_{s,t}$ , 281
- latus rectum
  - of a hyperbola, 46
  - of a parabola, 39

- of an ellipse, 43
- law of cosines, 24, 101
- law of sines, 25
- law of tangents, 26
- Leibniz, Gottfried Wilhelm, 195
- lemniscates, 48
- lim, 76
- $\lim_{x \rightarrow \infty}$
- limaçon, 48
- limits, 76–85
  - 0/0, 78
  - $\sin x/x$ , 83
  - trigonometric, 83
- linear congruences, 254
  - simultaneous, 255
- linear equations, 143
- locus, 224–227
- logarithms, 3–7
  - chain rule, 6
- Massey-Omura cryptosystem, 265
- mathematical induction, 1
- matrices, 103–109, 113–122
  - “size” of, 113
  - 3D, 107
  - entries, 103
  - identity, 104, 107
  - inverses of, 120
  - multiplication of, 104
  - nonsquare, 107
  - rotation, 103
- max, 165
- maximization, 164
- medians
  - length of, 29
- Menelaus’s Theorem, 235
- min, 165
- minimization, 164
- Minkowski, Hermann, 283
- minors, 116
- modular arithmetic, 252
  - and division, 253
- $\binom{n}{k}$  for nonintegral  $k$ , 189
- natural logarithm, 85
- non-Euclidean geometry, 251
- normal vector, 127, 131
- null graph, 275
- number theory, 252–262
- $O(n)$ , 87
- oblique conics, 49
- one to one, 70
- one to one correspondence, 196
- optimization, 164
- order
  - of a cyclic function, 72
- orthogonal circles, 248
- orthogonal projection, 241
- overtones, 23
- Pancake Theorem, 249
- parabola, 38
  - axis of symmetry, 39
  - directrix, 38
  - focus, 38
  - latus rectum, 39
  - vertex, 38
- parallel postulate, 251
- parallel projection, 243
- parametric equations, 125
- partial fractions, 186
- partitions, 203
- Pascal’s identity, 170–172
- Pascal’s triangle, 173–175
- path, 278
  - Hamiltonian, 280
- perfect number, 258
- perfect squares, 253, 257
- period
  - of a number (mod  $p$ ), 258
  - trigonometric, 13
- periodic function, 14
- phase shift, 13
- $\phi(n)$ , 260
- Pick’s Theorem, 129
- Pigeonhole Principle, 1
- Platonic solids, 277
- point at infinity, 243
- polar coordinates, 47
- polyhedra
  - regular, 277
- polynomials, 52–67

- bounds, 59
- coefficients and roots, 60
- complex roots, 59
- division, 53
- irrational roots, 59
- monic, 61
- multiplication, 52
- Newton's sums, 65
- Rational Root Theorem, 57
- remainder, 53
- transformations of, 62
- Power Mean Inequality, 166
- prime factorization, 253
- primitive root, 259
- principal value, 14
- Principle of Inclusion-Exclusion, 198
- probability, 216–221
  - conditional, 219–221
  - uncorrelated events, 216
- projection, 241
  - central, 243
  - orthogonal, 241
  - parallel, 243
- Ptolemy's Theorem, 36
- quadratic congruences, 256
- quadratic residue, 256
- quadrilaterals
  - cyclic, 33
- quantum mechanics, 111
- rational functions, 77
- rational numbers
  - countability of, 206
- Rational Root Theorem, 57
- recurrence, 184
- relatively prime integers, 252
- remainder, 53
- removable discontinuity, 80
- right hand rule, 112
- root mean square, 166
- roots, 56
- rotation matrix, 103
- row and column operations, 118
- $s(n)$ , 257
- sequences, 182–186, 191–192
- harmonic, 191
- limit of, 76
- recursive, 182, 184
- series, 181–182, 186–188
  - convergence of, 190
  - telescoping, 186
- Simson line, 234
- sine
  - graph of, 12
- sinh, 95
- sinusoid, 12
- slant asymptote, 82
- spherical coordinates, 135
- spiral of Archimedes, 48
- squaring the circle, 232
- squeeze principle, 83
- step function, 81
- Stewart's Theorem, 30
- Sylvester's Theorem, 247
- synthetic division, 54
- tail, 100
- tangent
  - graph of, 12
- telescoping series, 186
- tetrahedron
  - centroid, 141
- the BIG PICTURE, 9, 23, 87, 99, 111, 158, 195, 210, 232, 251, 265, 283
- three dimensional geometry, 140
- trail, 278
  - Euler, 279
- transverse axis, 45
- tree, 278
- Triangle Inequality, 90, 103, 165
- triangles
  - Angle Bisector Theorem, 30
  - angle bisectors
    - lengths of, 30
  - area of, 27–29
  - cevians, 29–31
  - Heron's formula, 28
  - law of cosines, 24
  - law of sines, 25
  - law of tangents, 26
  - laws, 24–27

- medians
  - length of, 29
  - Stewart's Theorem, 30
- triangular matrix, 118
- trigonometry, 10–22
  - amplitude, 13
  - double angle formulas, 17
  - frequency, 13
  - functions of sums, 18
  - functions of differences, 16–18
  - functions of sums, 16
  - half angle formulas, 18
  - inverse functions, 14–15
  - period, 13
  - phase shift, 13
- trisecting the angle, 232
  
- unbounded face, 276
- unbounded limits, 77
- uncountable sets, 207
- unit normal, 132
- unity
  - roots of, 96
  
- Vandermonde's identity, 175
- Vandervelde
  - Samuel, 228
- vectors, 100–102, 112–113, 136, 234
  - 2D, 100
  - addition of, 100
  - angle bisectors of a triangle, 137
  - centroid of a tetrahedron, 141
  - centroid of a triangle, 138
  - column, 102
  - cross product, 112
  - dot product of, 101
  - in coordinates, 102
  - incenter of a triangle, 139
  - infinite dimensional, 111
  - length of, 100
  - medians of a triangle, 137
  - orthocenter of a triangle, 139
  - row, 102
- vertex
  - degree of, 279
  - of a graph, 275
  
- vertical asymptote, 82
- vertices
  - of a hyperbola, 45
- volume
  - of a parallelepiped, 132
  - of a tetrahedron, 132
  
- walk, 278
- Wantzel, Pierre, 232
- Wilson's Theorem, 262